# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S82 | 131 | (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:51 |
| S83 | 2 | (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (several plurality many various) with (compartment region divid$3 split$3 section partion array) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:39 |
| S84 | 0 | (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (several plurality many various) near2 (compartment region section partion array) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:40 |
| S85 | 36 | (CMOS near (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:41 |
| S86 | 31 | (CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:41 |
| S87 | 0 | (CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) and (compartment region section partion array) near2 (mask$3 CRC checksum encrypt$3 secur$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:42 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S88 | 0 | (CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) and (compartment region section partion array) near2 (mask$3 CRC checksum encrypt$3 secur$3 authenticat$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:42 |
| S89 | 0 | (CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) and (compartment region section partion array) with (secr$3 protect$3 athenticat$3) with (mask$3 CRC checksum encrypt$3 hash$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:43 |
| S90 | 1 | (CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) and (secur$3 protect$3 athenticat$3) with (mask$3 CRC checksum encrypt$3 hash$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:45 |
| S91 | 4 | (CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) and (validat$3 authenticat$3) near3 CMOS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:48 |
| S92 | 4 | (CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) and (validat$3 authenticat$3 check$3) near3 CMOS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:48 |
| S93 | 0 | (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array) and 713/189. ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:56 |

| S94 | 0 | (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array) and 713/190. ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:51 |
|---|---|---|---|---|---|---|
| S95 | 0 | (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array) and 713/193. ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:51 |
| S96 | 0 | (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array) and 713/194. ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:52 |
| S97 | 1 | (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array) and 713/2. ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:52 |
| S98 | 9 | (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) with (verif$4 authenticat$3 check$3 validat$3 secur$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:53 |
| S99 | 5 | (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and (region section partition array compartment) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:55 |

# EAST Search History

| S100 | 63 | (CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:05 |
|---|---|---|---|---|---|---|
| S101 | 4 | (CMOS near (data setting RAM configurat$3 memory)) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array) and 713/189. ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:57 |
| S102 | 46 | (CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) and @ay<="2001" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:58 |
| S103 | 18 | (CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (divid$3 split$3 section$3 partition$3) with (region section partition array compartment) and @ay<="2001" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 13:58 |
| S104 | 7 | (CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) and (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:01 |
| S105 | 2 | (CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) and intel.as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:04 |

| S10 6 | 0 | (CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) and ((NGUYEN near TOM).in. (BULUSU near MALLIK).in.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:05 |
|---|---|---|---|---|---|---|
| S10 7 | 67 | ((NGUYEN near TOM).in. (BULUSU near MALLIK).in.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:05 |
| S10 8 | 0 | ((NGUYEN near TOM).in. (BULUSU near MALLIK).in.) and (CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:05 |
| S10 9 | 18 | (CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) and "713"/$.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:08 |
| S11 0 | 0 | (CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and "713"/$.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:09 |
| S11 1 | 24 | CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:25 |

# EAST Search History

| S11 2 | 0 | CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:11 |
|---|---|---|---|---|---|---|
| S11 3 | 0 | CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:44 |
| S11 4 | 3 | (CMOS and (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:46 |
| S11 5 | 9 | (CMOS and (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) and 713/2.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:46 |
| S11 6 | 0 | (CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) and 713/2.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:46 |
| S11 7 | 0 | (CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) and 713/193.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:47 |
| S11 8 | 0 | (CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) and 713/194.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:47 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S11 9 | 0 | (CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) and 713/189.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:47 |
| S12 0 | 0 | (CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) and 713/190.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:47 |
| S12 1 | 17 | (CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 14:57 |
| S12 2 | 48 | (CMOS with (region section partition array compartment) with (validat$3 secur$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/06 10:06 |
| S12 3 | 4 | (CMOS with (region section partition array compartment) with (validat$3 secur$3 validity authenticat$3 authenticity verification varify$3) and (replac$3 substitut$3) with (backup mirror$3 imag$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/05 15:14 |
| S12 4 | 5 | (CMOS with (divid$3 section$3 split$4) with (validat$3 secur$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/06 10:08 |
| S12 5 | 1 | (plurality many various multiple) near3 (stor$3) near3 (region compartment section partitions arrays) with (CMOS) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/06 10:10 |

| S12 6 | 353 | (plurality many various multiple) near3 (region compartment section partitions arrays) with (CMOS) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/06 10:11 |
|---|---|---|---|---|---|---|
| S12 7 | 1 | (plurality many various multiple) near3 (region compartment section partition arrays) with (CMOS near (data setting RAM configurat$3 memory)) and (backup mirror$3 imag$3) with (CMOS near (data setting RAM configurat$3 memory)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/06 10:13 |
| S12 8 | 2 | (plurality many various multiple) with (region compartment section partition arrays) with (CMOS near (data setting RAM configurat$3 memory)) and (backup mirror$3 imag$3) with (CMOS near (data setting RAM configurat$3 memory)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/06 10:13 |